

GENERAL EXCHANGE TARIFF  
PSCK NO. 3

CINCINNATI BELL TELEPHONE COMPANY

Section 45  
1st Revised Page 1  
Cancels Original Page 1

EMERGENCY NUMBER SERVICES (911 SERVICES)

I. ENHANCED UNIVERSAL EMERGENCY NUMBER SERVICE (E 911)

(T)

A. GENERAL

1. Enhanced Universal Emergency Number Service, also referred to as E911 Service or E911, is a telephone exchange communication service whereby a Public Safety Answering Point (PSAP) designated by the E911 customer may receive telephone calls dialed to the telephone number 911. E911 Service includes lines, equipment and software necessary for the answering, transferring and dispatching of public emergency telephone calls originated by persons within the serving area who dial 911.
2. E911 Service is offered subject to availability of facilities.
3. The E911 customer may be a municipality or other state or local governmental unit, or an authorized agent of one or more municipalities or other state or local governmental units to whom authority has been lawfully delegated. The E911 customer may be legally authorized or required to subscribe to the service and have public safety responsibility by law to respond to telephone calls from the public for police, fire, ambulance, rescue, medical or other emergency services within the telephone central office areas arranged for 911 calling.

B. DEFINITION OF TERMS

Additional E911 Exchange Line: Additional terminating line at a PSAP that may be ordered by the E911 customer as an optional feature.

Alternate Routing (AR): A feature provided to allow 911 calls to be routed to a designated alternate location if (1) all E911 exchange lines to the primary PSAP (see definition of PSAP below) are busy, or (2) the primary PSAP closes down for a period (night service).

Automatic Location Identification (ALI): A feature by which the name and address associated with the calling party's telephone number (identified by ANI as defined below) may be forwarded to the PSAP for display. Additional telephones with the same number as the calling party's (secondary locations, off premise, etc.) will be identified with the address of the telephone number at the main location.

Automatic Number Identification (ANI): A feature by which the calling party's telephone number is forwarded to the E911 Control Office and to the PSAP's Display and Transfer Units.

Data Management System (DMS): A system of manual procedures and computer programs used to create, store and update the data required to provide the Selective Routing (SR) and ALI features.

GENERAL EXCHANGE TARIFF  
PSCK NO. 3

CINCINNATI BELL TELEPHONE COMPANY

Section 45  
1st Revised Page 2  
Cancels Original Page 2

EMERGENCY NUMBER SERVICES (911 SERVICES)

I. ENHANCED UNIVERSAL EMERGENCY NUMBER SERVICE (E 911) (Continued)

(T)

B. DEFINITION OF TERMS (Continued)

Default Routing (DR): A feature activated when an incoming 911 call cannot be selectively routed due to an ANI failure, garbled digits or other causes. Such incoming calls are routed from an E911 facility group to the Control Office to a default PSAP. Each incoming E911 facility group to the Control Office is assigned to a designated default PSAP.

Display and Transfer Unit: A selector console and associated common equipment for displaying ANI numbers at the PSAP attendant position and used by the attendant to activate Fixed and/or Selective Transfer functions.

End Office: The Central Office(s) in the E911 System which receive originating 911 calls.

Enhanced 911 (E911) Control Office: The office providing tandem switching capability for E911 calls. It controls switching of ANI information to the PSAP and also provides the SR feature, standard ESS Speed Calling features, call transfer capability and certain maintenance functions for each PSAP.

Enhanced 911 Service Area: The geographic area in which the E911 customer will respond to all 911 calls and dispatch appropriate emergency assistance.

Fixed Transfer: A feature which enables a PSAP attendant to transfer incoming 911 calls to secondary PSAPs by use of a single button on the Display and Transfer Unit.

Forced Disconnect: A function of the E911 Central Office trunk circuit which enables the PSAP attendant to release a connection even though the calling party has not hung up. This feature prevents the jamming of the E911 exchange lines.

Manual Transfer: A feature that enables the PSAP attendant to transfer an incoming call by depressing the switch hook of the associated telephone or the "add" button on the Display and Transfer Unit and dialing either a 7-digit or 10-digit telephone number or a 2-digit Speed Calling code.

Public Safety Answering Point (PSAP): An answering location for 911 calls originating in a given area. A PSAP may be designated as Primary or Secondary, which refers to the order in which calls are directed for answering. Primary PSAPs respond first; secondary PSAPs receive calls on a transfer basis only and generally serve as a centralized answering location for a particular type of emergency call. PSAPs are staffed by employees of public safety agencies such as police, fire or emergency medical or by employees of a common bureau serving a group of such entities.

GENERAL EXCHANGE TARIFF  
PSCK NO. 3

CINCINNATI BELL TELEPHONE COMPANY

Section 45  
1st Revised Page 3  
Cancels Original Page 3

EMERGENCY NUMBER SERVICES (911 SERVICES)

I. ENHANCED UNIVERSAL EMERGENCY NUMBER SERVICE (E 911) (Continued)

(T)

B. DEFINITION OF TERMS (Continued)

Selective Routing (SR): A feature that routes a 911 call from the E911 Control Office to the designated primary PSAP based upon the identified number of the calling party.

Selective Transfer: A feature providing persons at the PSAP the ability to transfer an incoming call to another agency by depressing a single button labeled with the type of agency, e.g., "Fire," on the Display and Transfer Unit.

Serving Central Office: The Central Office from which a PSAP, either primary or secondary, is served.

Universal Emergency Number Service: A telephone exchange communication service for receiving telephone calls placed by persons in need of assistance who dial the number 911. Such calls are answered at PSAPs established and operated by the E911 customer. The lines and equipment associated with the service arrangement for the answering, transferring and dispatching of public emergency telephone calls are included.

Universal Emergency Number Service Customer (E911 Customer): A municipality or other state or local governmental unit or an authorized agent of one or more municipalities or other state or local governmental units to whom authority has been lawfully delegated within a defined geographic area to respond to public emergency telephone calls including police, fire, ambulance, rescue and medical service.

C. RULES AND REGULATIONS

1. This service is limited to the use of Central Office telephone number 911 as the universal emergency telephone number. Only one E911 Service will be provided within any government agency's locality.
2. The 911 emergency telephone number is not intended as a total replacement for the telephone service of the various public safety agencies which participate in the use of this number. The public safety agencies will subscribe to other exchange telephone service as provided in the Exchange Rate Tariff PSCK NO. 1.
3. The service is furnished to an E911 customer only for the purpose of receiving reports of emergencies by the public.

GENERAL EXCHANGE TARIFF  
PSCK NO. 3

CINCINNATI BELL TELEPHONE COMPANY

Section 45  
2nd Revised Page 4  
Cancels 1st Revised Page 4

EMERGENCY NUMBER SERVICES (911 SERVICES)

I. ENHANCED UNIVERSAL EMERGENCY NUMBER SERVICE (E 911) (Continued) (T)

C. RULES AND REGULATIONS (Continued)

4. E911 Service is classified as Non-residence Exchange Service and is arranged for one-way incoming service to the appropriate PSAP. Outgoing calls can only be made on a transfer basis.
5. E911 Service is provided solely for the benefit of the E911 customer operating the PSAP. The provision of E911 Service by the Telephone Company shall not be interpreted, construed, or regarded, either expressly or implied, as being for the benefit of or creating any Telephone Company obligation toward any third person or legal entity other than the E911 customer.
6. The Telephone Company furnishes the use of its facilities to enable the E911 customer's personnel to answer and forward 911 calls at the PSAP.
7. Any terminal equipment used in conjunction with E911 Service, whether such equipment is provided by the Telephone Company or the E911 customer, shall be configured so that it is unable to extract any information from the Data Management System other than information relating to a number identified through the ANI feature as the source of an in-progress call.
8. E911 information consisting of the names, addresses and telephone numbers of calling parties whose listings are not published in directories or listed in Directory Assistance Offices is confidential. The E911 calling party forfeits the privacy afforded by non-address and non-published service to the extent that the telephone number, address and name associated with the originating station location may be furnished to the PSAP on a call-by-call basis only for the purpose of responding to emergency calls.  
  
Due solely to the technology of the Telephone Company's network portion of the E911 system, E911 information may be transmitted to E911 customers on calls that are not classified as emergency calls. In the circumstances of the inadvertent disclosure of such information, the E911 customer shall not utilize or disclose such information.
9. Central Offices that are not currently equipped to transmit ANI will not be modified to provide ANI only for the purposes of E911 Service. In such circumstances, default routing and central office identification will be provided in lieu of selective routing and ANI display.

GENERAL EXCHANGE TARIFF  
PSCK NO. 3

CINCINNATI BELL TELEPHONE COMPANY

Section 45  
1st Revised Page 5  
Cancels Original Page 5

EMERGENCY NUMBER SERVICES (911 SERVICES)

I. ENHANCED UNIVERSAL EMERGENCY NUMBER SERVICE (E 911) (Continued)

(T)

C. RULES AND REGULATIONS (Continued)

10. The Telephone Company shall have no liability to any person in connection with E911 Service. The Telephone Company and its officers directors, employees and agents are not liable in damages in a civil action for injuries, death or loss to persons or property incurred by any person resulting from the Telephone Company's, its officers', directors', employees' or agents' participation in or acts or omissions in connection with such participation in a 911 System.
11. The rates charged for E911 Service do not contemplate the inspection or constant monitoring of facilities to discover errors, defects and malfunctions in the service, nor does the Telephone Company undertake such responsibility. The E911 customer shall make such operational tests as, in the judgment of the E911 customer, are required to determine whether the system is functioning properly for its use. The E911 customer shall promptly notify the Telephone Company in the event the system is not functioning properly.
12. Each E911 customer agrees to release, indemnify, defend and hold harmless the Telephone Company and its directors, officers, employees and agents, from any or all loss, claims, demands, suits or other action, or any liability whatsoever (including attorneys' fees), whether suffered, made, instituted or asserted by the E911 customer or by any other party or person, for any personal injury to or death of any person or persons, or for any loss to persons or property, whether owned by the E911 customer or others.
13. The E911 customer also agrees to release, indemnify and hold harmless the Telephone Company for any infringement or invasion of the right of privacy of any person or persons, caused or claimed to have been caused, directly or indirectly, by the installation, operation, failure to operate, maintenance, removal, presence, condition, occasion or use of E911 Service features and the equipment associated therewith, or by any services furnished by the Telephone Company in connection therewith, including, but not limited to, the identification of the telephone number, address or name associated with the telephone used by the calling party or parties accessing E911 Service hereunder, and which arise from the acts of the E911 customer, its agencies or municipalities, or the employees or agents of any of them.
14. The Telephone Company's intent will be to provide at least the same level of service reliability and quality as the telephone service being provided in the exchanges where E911 Service is offered.

GENERAL EXCHANGE TARIFF  
PSCK NO. 3

CINCINNATI BELL TELEPHONE COMPANY

Section 45  
1st Revised Page 6  
Cancels Original Page 6

EMERGENCY NUMBER SERVICES (911 SERVICES)

I. ENHANCED UNIVERSAL EMERGENCY NUMBER SERVICE (E 911) (Continued)

(T)

C. RULES AND REGULATIONS (Continued)

15. Because the Telephone Company serving boundaries and political subdivision boundaries may not coincide, it is the obligation of the E911 customer to make arrangements to handle all E911 calls that originate from telephones served by Central Offices in the local service area whether or not the calling telephone is situated on property within the geographical boundaries of the E911 customer's public safety jurisdiction.
16. Application for E911 Service must be executed in writing by each E911 customer. Execution of an Agreement for Implementation of Enhanced 911 Emergency Telephone Service will constitute such application.
17. The E911 customer must furnish the Telephone Company its agreement to the following terms and conditions:
  - a. That all E911 calls will be answered on a 24-hour day, seven-day week basis.
  - b. That the E911 customer has responsibility for dispatching the appropriate emergency service vehicles within the E911 Service area, or will undertake to transfer all E911 calls received to the public safety agency with responsibility for dispatching such services, to the extent that such services are reasonably available.
  - c. That the E911 customer will develop an appropriate method for responding to 911 calls which may be directed to the E911 PSAP by the calling parties.
  - d. That the E911 customer will subscribe to local exchange service at the PSAP location for administrative purposes, for placing outgoing calls, and for receiving other calls.
  - e. That the E911 customer will subscribe to, or provide, telephone equipment with a capacity adequate to handle the number of incoming E911 lines recommended by the Telephone Company to be installed.

GENERAL EXCHANGE TARIFF  
PSCK NO. 3

CINCINNATI BELL TELEPHONE COMPANY

Section 45  
1st Revised Page 7  
Cancels Original Page 7

EMERGENCY NUMBER SERVICES (911 SERVICES)

I. ENHANCED UNIVERSAL EMERGENCY NUMBER SERVICE (E 911) (Continued) (T)

C. RULES AND REGULATIONS (Continued)

18. The E911 customer is responsible for identifying primary and secondary PSAP locations as well as the unique combinations of police, fire, ambulance, rescue and medical service agencies or any other appropriate agencies responsible for providing emergency service in the E911 serving area. An Emergency Service Number (ESN) will be provided for each unique combination by the Telephone Company. The E911 customer will associate these ESNs with street address ranges or other mutually agreed upon routing criteria in the E911 serving area. These ESNs will reside in the Data Management System (DMS) and the E911 Control Office. The ESN will be used by the E911 Control Office to permit routing of 911 calls to the primary and secondary PSAPs responsible for handling of calls from each telephone in the E911 serving area. The following terms define the E911 customer's responsibility in providing this information:
- a. Initial and subsequent ESN assignments by street name, address range and area or other mutually agreed upon routing criteria shall be furnished by the E911 customer to the Telephone Company prior to the effective date of service.
  - b. After establishment of service, it is the E911 customer's responsibility to continue to verify the accuracy of the routing information contained in the master address file, and to advise the Telephone Company of any changes in street names, establishment of new streets, changes in address numbers used on existing streets, closing and abandonment of streets, changes in police, fire, ambulance, rescue and medical or other appropriate agencies' jurisdiction over any address, annexations and other changes in municipal and county boundaries, incorporation of new cities or any other matter that will affect the routing of E911 calls to the proper PSAP.
  - c. The Telephone Company will provide to the E911 customer annually a complete written copy of the master address file to permit the E911 customer to verify accuracy of the police, fire, and ambulance, rescue and medical PSAP routing designations.
  - d. Changes, deletions and additions which the E911 customer desires to have made in the master address file should be submitted in writing on an "as occurred" basis.

GENERAL EXCHANGE TARIFF  
PSCK NO. 3

CINCINNATI BELL TELEPHONE COMPANY

Section 45  
1st Revised Page 7.1  
Cancels Original Page 7.1

EMERGENCY NUMBER SERVICES (911 SERVICES)

I. ENHANCED UNIVERSAL EMERGENCY NUMBER SERVICE (E 911) (Continued)

(T)

C. RULES AND REGULATIONS (Continued)

19. Government agencies that provide their own stand alone E911 service will be furnished database information from the Telephone Company in a mutually agreed format under the following conditions:
  - a. E911 information consisting of the names, addresses and telephone numbers of calling parties whose listings are not published in directories or listed in Directory Assistance Offices is confidential. The E911 calling party forfeits the privacy afforded by non-published service to the extent that the telephone number, address and name associated with the originating station location may be included in the data base information furnished to the government agency E911 provider exclusively for the purpose of responding to emergency calls.
  - b. When a local government agency requests database information for the purpose of creating their own stand alone E911 service the Telephone Company will notify, by mail, all subscribers within the area to be served that had non-published service on or before June 29, 1991 that their listing will be disclosed to the local government agency for E911 purposes unless they return the form included in the notification with the proper signature.
  - c. The E911 provider shall enter into a confidentiality agreement with the Telephone Company that prohibits them from using the database information for any purpose other than the provision of E911 service.
  - d. The E911 provider shall defend and indemnify the Telephone Company for any claims brought where it is alleged that the database was used for any reason shall defend and indemnify the Telephone Company for any claims brought where it is alleged that the database was used for any other purpose other than the provision of E911 service.
  - e. All costs incurred by the Telephone Company, both initially and ongoing, in the establishment and maintenance of the E911 database including the customer notification process will be the responsibility of the E911 provider.

GENERAL EXCHANGE TARIFF  
PSCK NO. 3

CINCINNATI BELL TELEPHONE COMPANY

Section 45  
1st Revised Page 8  
Cancels Original Page 8

EMERGENCY NUMBER SERVICES (911 SERVICES)

I. ENHANCED UNIVERSAL EMERGENCY NUMBER SERVICE (E 911) (Continued)

(T)

D. SERVICE FEATURES

1. E911 Service includes the following service features:
  - a. Automatic Number Identification
  - b. Automatic Location Identification
  - c. Selective Routing
  - d. Forced Disconnect
  - e. Default Routing
  - f. Alternate Routing
  - g. Speed Calling
  - h. Central Office Transfer Arrangements
2. The Service Feature offerings include provision of E911 Exchange Lines to all primary PSAPs and to secondary PSAPs that are equipped to display ANI information on Telephone Company or customer provided PSAP equipment. The number of lines to a PSAP will be determined by the Telephone Company based upon anticipated call volumes. Secondary PSAPs that do not meet these specifications will receive calls on a transfer basis over the exchange network or the E911 customer may subscribe for an additional E911 Exchange Line.
3. PSAP equipment, designed for use with Key Telephone Systems and Automatic Call Distributor Systems, is unregulated and may include the following:
  - a. ANI Display and Transfer equipment consisting of a microprocessor-controlled, stored program system capable of serving up to fifteen incoming E911 lines and fifteen Display and Transfer Units.
  - b. ALI equipment providing retrieval of the calling party's address from a database and its display on units located at attendant positions. A maximum of fifteen display units may be installed per system.

GENERAL EXCHANGE TARIFF  
PSCK NO. 3

CINCINNATI BELL TELEPHONE COMPANY

Section 45  
1st Revised Page 9  
Cancels Original Page 9

EMERGENCY NUMBER SERVICES (911 SERVICES)

I. ENHANCED UNIVERSAL EMERGENCY NUMBER SERVICE (E 911) (Continued)

(T)

E. RATES AND CHARGES

1. Telephone Company subscribers that are served within the area covered by an E911 System shall pay a monthly rate for the provision of E911 Service. This rate shall be computed by dividing the total monthly rate billed to the E911 customer (municipality) by the total number of residence and nonresidence access lines, or their equivalent, within the area served (rounded up to the nearest cent). This rate shall be collected on an individual access line basis limited to a maximum of twenty-five (25) lines per account.
2. Messages
  - a. The calling party is not charged for calls placed to the 911 number on a call-by-call basis.
  - b. Charges for messages transferred over exchange facilities from a PSAP are billed according to rates applicable from the Central Office serving the PSAP initiating the transfer to the point of termination of the transfer.
3. Service Features

	<u>USOC</u>	<u>Initial Charge</u>	<u>Monthly Rate</u>
a. Combined Automatic Number and Location Identification and Selective Routing per 1000 access lines served (1)	E8Z	\$ 4,620.00	\$ 115.00
b. Additional (optional) E911 Exchange Line terminating at PSAP, each	E8K	\$ 1,040.00	\$ 120.00

- (1) Rounded to the nearest 1000 access lines (excluding all types of WATS terminations). This count is based upon the maximum number of the above stated access lines in service during the most current twelve month period at the time service is established. This count will be adjusted annually to update customer billing, with the applicable twelve month period being the calendar year.

GENERAL EXCHANGE TARIFF  
PSCK NO. 3

CINCINNATI BELL TELEPHONE COMPANY

Section 45  
1st Revised Page 10  
Cancels Original Page 10

EMERGENCY NUMBER SERVICES (911 SERVICES)

I. ENHANCED UNIVERSAL EMERGENCY NUMBER SERVICE (E 911) (Continued) (T)

E. RATES AND CHARGES (Continued)

4. Moves or Changes

- a. Charges for customer requests that necessitate additions, removals, moves or changes of access facilities and/or equipment on Telephone Company premises will be based upon costs per request.
- b. Installation of additional network or other facilities to maintain a satisfactory grade of service such as described in Regulation 14 of this tariff will be provided by the Telephone Company at no additional charge to the customer.

GENERAL EXCHANGE TARIFF  
PSCK NO. 3

CINCINNATI BELL TELEPHONE COMPANY

Section 45  
Original Page 11

EMERGENCY NUMBER SERVICES (911 SERVICES)

II. WIRELESS EMERGENCY NUMBER SERVICE ACCESS (W-ENSA)

A. SERVICE DESCRIPTION

Wireless Emergency Number Service Access (W-ENSA) is a service which allows Wireless Telecommunications Carriers, hereafter referred to as "Carriers", to use the facilities and databases of Cincinnati Bell Telephone Company, hereafter referred to as "The Telephone Company". The Telephone Company's facilities and databases may be used only when the Telephone Company is the 9-1-1 service provider and only when the facilities and databases are necessary in the provisioning of Universal Emergency Number/9-1-1 Telecommunications Service.

W-ENSA includes the conditioning of Carrier-obtained or Carrier-provided transport facilities from the interconnection point, routing such facilities to the appropriate 9-1-1 Selective Routing Switch, access to 9-1-1 Telecommunications Service features and the coordination of initial loading, updating and maintaining of the Carrier's customer information in the Telephone Company's databases.

When a carrier subscribes to W-ENSA, the Telephone Company will deliver the wireless subscriber's call back number associated with the call to a designated Public Safety Answering Point (PSAP). In addition, the Telephone Company will also forward the Pseudo Automatic Number Identification ("pANI") and /or associated tower/cell sector information (associated with the call) to the same PSAP.

Universal Emergency Number 9-1-1 Telecommunications Service is available to Carriers via one or a combination of service features subscribed to by the Universal Emergency Number 9-1-1 Telecommunications Service subscriber.

Wireless Carriers will gain access (or connect) to the 9-1-1 network by using dedicated trunks with Switching System Seven (SS7) signaling. W-ENSA also requires the Wireless Carriers use one of the following interfaces for connectivity:

A carrier-provided Service Control Point (SCP) (digital connection); or

A carrier-provided protocol converter (analog connection)

GENERAL EXCHANGE TARIFF  
PSCK NO. 3

CINCINNATI BELL TELEPHONE COMPANY

Section 45  
Original Page 12

EMERGENCY NUMBER SERVICES (911 SERVICES)

II. WIRELESS EMERGENCY NUMBER SERVICE ACCESS (W-ENSA) (Continued)

B. DEFINITIONS (See Note 1)

9-1-1 Selective Routing Switch: A central office providing tandem switching capability for 9-1-1 calls. It controls switching of ANI information to the PSAP and also provides the Selective Routing function, Speed Calling features, Call Transfer capability and certain maintenance functions for each PSAP.

Call Associated Signaling (CAS) Solution: The CAS solution passes all information through the signaling network. SS7 is required from the Mobile Telephone Switching Office (MTSO) to the E9-1-1 Tandem Switch. Both the Cell Site telephone number, or the pseudo-ANI, and the mobile directory number (MDN) are passed through the SS7 network. However, in some cases the mobile identification number (MIN) may be passed through the SS7 network instead of the MDN.

Call Sector ID: An alphanumerical code representing information about a wireless tower and the direction of the transmitter face.

Mobile Directory Number (MDN) or Mobile Identification Number (MIN): The call back number associated with a wireless telephone.

Non-Call-Associated Signaling (NCAS) Solution: The NCAS solution passes a pANI through the signaling network and additional information through a data network.

Pseudo Automatic Number Identification (pANI): A 10-digit number used to support routing of wireless 9-1-1 calls. It is used to identify the Cell Sector from which the call originates, and is used to link the ALI record with the caller's MDN or MIN.

Commercial Mobile Radio Service Carrier/Wireless Telecommunications Carrier (Carrier): A provider of wireless telecommunications services (including Paging services), for whom access to facilities and databases required to provide 9-1-1 service is required by the Telecommunications Act of 1996, and the regulations of the Federal Communications Commission.

Note 1: Additional terms associated with W-ENSA have already been defined in paragraph I.B. of this Section of the tariff.

GENERAL EXCHANGE TARIFF  
PSCK NO. 3

CINCINNATI BELL TELEPHONE COMPANY

Section 45  
Original Page 13

EMERGENCY NUMBER SERVICES (911 SERVICES)

II. WIRELESS EMERGENCY NUMBER SERVICE ACCESS (W-ENSA) (Continued)

C. TERMS AND CONDITIONS

W-ENSA is available to Carriers only for use in the provision of Universal Emergency Number 9-1-1 Telecommunications Service. W-ENSA will be provided to the extent required by the Telecommunications Act of 1934, as amended by the Telecommunications Act of 1996 ("the Act"), 47 USC Section 151 and the rules and regulations of the Federal Communications Commission and the Public Service Commission of Kentucky.

The General Regulations found in Section 2 of this tariff apply unless otherwise specified in this Section of the tariff. The term "customer", when used in this section of the tariff, is the equivalent of the term "telecommunications carrier" as defined by the Act and used in this Section.

When requested by a carrier, the Telephone Company will provide W-ENSA enabling the nondiscriminatory use of the Telephone Company's facilities and databases, equal in quality to that provided to itself, facilitating the provision of service to the Universal Emergency Number 9-1-1 Telecommunications Service customer. In the event facilities are not available, the Telephone Company will administer the installation of facilities and provide W-ENSA upon availability.

This service is limited to accommodating the use of the Telephone Company facilities required to furnish central office telephone number 9-1-1 as the universal emergency telephone number.

The Telephone Company will coordinate with the Carrier, provision of transport capacity sufficient to route originating 9-1-1 calls from the Carrier's interconnection point to the designated 9-1-1 Selective Routing Switch.

The Carrier must provide a minimum of two dedicated channels from the point of interconnection, to the 9-1-1 Selective Routing Switch for the provision of 9-1-1 service.

When the Carrier forwards the pANI information of the calling party to the 9-1-1 Selective Routing and the pANI/MDN pair to the ALI database, the Telephone Company will forward the wireless subscriber's call back number and cell sector identification information to the PSAP for display.

GENERAL EXCHANGE TARIFF  
PSCK NO. 3

CINCINNATI BELL TELEPHONE COMPANY

Section 45  
Original Page 14

EMERGENCY NUMBER SERVICES (911 SERVICES)

II. WIRELESS EMERGENCY NUMBER SERVICE ACCESS (W-ENSA) (Continued)

C. TERMS AND CONDITIONS (Continued)

The telephone company is not liable for the accuracy and content of 9-1-1 record data delivered by the Carrier. The Carrier is responsible for maintaining the accuracy and contents of all data that it delivers to the Telephone Company.

The Telephone Company shall assess a fee for database-related errors delivered by the Carrier which exceed established thresholds as defined in any applicable agreement or by law, whichever requires a greater degree of accuracy.

The Carrier, as a condition of service, agrees to abide by all confidentiality and non-disclosure requirements, as defined in any applicable agreement or by law.

The Carrier agrees to provide the Telephone Company with all information required to design and implement W-ENSA service when ordered. The information will be provided in the format prescribed by the Telephone Company, initially and on an ongoing basis. The installation of initial or subsequent 9-1-1 facilities required to maintain applicable Telephone Company service standards will be accommodated at a charge to the Carrier. It is the responsibility of the Carrier to monitor circuits for the purpose of determining network traffic volumes and of failures as prescribed in applicable agreements or by law.

The charges for W-ENSA Service do not include the inspection or monitoring of the carrier's facilities to discover errors, defects and malfunctions in the service, nor does the Telephone Company undertake such responsibility. The Carrier shall be responsible for making such operational tests as, in the judgment of the carrier, are required to determine whether the facility is functioning properly for its use. The carrier shall promptly notify the Telephone Company in the event that their facilities are not functioning properly.

Notwithstanding anything to the contrary contained herein, the Telephone Company's liability to the requesting Carrier and any third person shall be limited to the maximum extent permitted by Applicable Law. Under no circumstances shall the Telephone Company incur any liability, direct or indirect, to any person on whose behalf a 9-1-1 call is made. The Telephone Company will not be liable to the Carrier or its customers, for any failure with respect to the completion of emergency calls made to an Operator.

If applicable, the 9-1-1 calling party forfeits the privacy afforded by Private and Semi-Private Listing Service to the extent that the name, telephone number, address and language, medical, and disability information associated with the originating station location are furnished to the PSAP.

GENERAL EXCHANGE TARIFF  
PSCK NO. 3

CINCINNATI BELL TELEPHONE COMPANY

Section 45  
Original Page 15

EMERGENCY NUMBER SERVICES (911 SERVICES)

II. WIRELESS EMERGENCY NUMBER SERVICE ACCESS (W-ENSA) (Continued)

C. TERMS AND CONDITIONS (Continued)

The Carrier is responsible for provision of Universal Emergency Number 9-1-1 Telecommunications Service in accordance with the terms and conditions as prescribed in the Telephone Company's tariffs, applicable laws and state regulations.

The Carrier shall be responsible for the payment of all charges billed by the Telephone Company for the Provision of W-ENSA as prescribed in this tariff, by law, and/or any applicable agreement with the Carrier. The Telephone Company shall not be liable for disconnection for nonpayment of applicable charges, resulting from the Carrier's provision of Universal Emergency Number 9-1-1 Telecommunications Service.

D. FEATURES

9-1-1 Selective Routing Switch Administration

Establishment and maintenance of control tables within designated 9-1-1 Selective Routing switches to support interconnection and call processing.

ANI/ALI/SR

9-1-1 call transport delivery of ANI, or pANI, ALI and selective routing to an authorized PSAP.

W9-1-1 Service Establishment

All activities required for Telephone Company personnel to plan, design and establish 9-1-1 service from a Mobile Switching Center (MSC) to a Telephone Company 9-1-1 Selective Routing Switch, where the call will be delivered to a PSAP (where the Telephone Company is the 9-1-1 service provider to such PSAP.) The pANI will be routed to the 9-1-1 Selective Router and the Telephone Company will route the call to the PSAP.

Database Management

9-1-1 database provisioning to support transfer of Carrier 9-1-1 telephone number records, and associated updating, receipt verification, storage, and record transfer for Carrier correction.

ALI Database Port Connectivity

Initial data port assignment to ALI databases for termination of an analog or digital data circuit, and associated ongoing maintenance.

GENERAL EXCHANGE TARIFF  
PSCK NO. 3

CINCINNATI BELL TELEPHONE COMPANY

Section 45  
Original Page 16

EMERGENCY NUMBER SERVICES (911 SERVICES)

II. WIRELESS EMERGENCY NUMBER SERVICE ACCESS (W-ENSA) (Continued)

E. TECHNICAL REFERENCE

Carriers ordering W-ENSA are responsible for obtaining or providing facilities and equipment that are compatible with the Telephone Company's network. Wireless Carriers must meet the following interface specifications as described below.

<u>Subject</u>	<u>Technical Reference</u>
Commercial Mobile Radio Service Providers Interconnection Standards	GR-145-CORE

F. RATES AND CHARGES

Dedicated facilities are required for the transport of 911 calls from the Carrier's serving end office or collocation point to the Telephone Company's designated 911 Selective Routing Switch. A minimum of one dedicated DS1 is required to each designated Telephone Company 911 Selective Routing Switch although not all channels may be activated. In a SS7 environment, trunking to a tandem switch may be required.

These prices include W-ENSA baseline services where the Carrier is utilizing a third party agent for the following:

Coordination of pANI loading related to the signal control point (SCP)

Traffic engineering

Development of tower cell face or PSAP coverage area

Development of technologies beyond the Cincinnati Bell Telephone Company 911 Network

If Carrier is not utilizing a third party agent for these functions, Cincinnati Bell Telephone Company's prices to perform these functions will be determined on a case-by-case basis.

GENERAL EXCHANGE TARIFF  
PSCK NO. 3

CINCINNATI BELL TELEPHONE COMPANY

Section 45  
Original Page 17

EMERGENCY NUMBER SERVICES (911 SERVICES)

II. WIRELESS EMERGENCY NUMBER SERVICE ACCESS (W-ENSA) (Continued)

F. RATES AND CHARGES (Continued)

<u>Service Elements</u>	<u>Nonrecurring Charge</u>	<u>Monthly Rate</u>	<u>USOC</u>
1. W-ENSA Service Establishment			
Per Selective Routing Switch, Per 1000 Access lines/numbers	\$ 2815.83 (Note 1)	\$ 109.77 (Note 1)	WL9SE
Per DS1	See High Capacity Service Rates in Kentucky Access Tariff PSCK NO. 2 for current charges		
Per Voice Grade Channel (4-Wire Only)	See Voice Grade Service Rates in Kentucky Access Tariff PSCK NO. 2 for current charges		
2. Wireless Data Interface			
Voice Grade Analog Access Circuit	See Voice Grade Service Rates in Kentucky Access Tariff PSCK NO. 2 for current charges		
Digital Data Service Access Circuit, 56 Kbps	See High Capacity Service Rates in Kentucky Access Tariff PSCK NO. 2 for current charges		
3. ANI/ALI/SR and Database Management, Per 100 pANI record, rounded up to the nearest 100	\$ 628.00	\$ 7.00	(Note 2)
4. 9-1-1 Selective Routing Switch Administration per NXX	195.00	15.00	WL9SR
5. ALI Database Port Connectivity per redundant pair	None	200.00	WL9PC
6. Production of Electronic ASCII File	71.00	None	NHCWA
7. Production of 3 and 1/2" Diskette Copy of ASCII	19.00	None	NHCWB
8. Establish Non-Call Associated Signaling	10,000.00	None	NHCWC
9. Establish Call-Associated Signaling	To be provided and priced on an individual case basis.		

Note 1: Rates are based on and are equivalent to the rates to establish Selective Routing as listed in the Kentucky General Exchange Tariff PSCK NO. 3, Section 45.

Note 2: Use USOC NHCWD to generate nonrecurring service establishment charge, use only on initial order per account per customer. Use USOC WL9DM to generate monthly charge per 100 pANI records rounded to the nearest 100. This USOC should be used to order additional ANI/ALI/SR Database Management per 100 pANI record.

Issued: June 8, 2001

Effective: July 9, 2001

Christopher S. Colwell, Vice President – Government Relations, Cincinnati, Ohio

GENERAL EXCHANGE TARIFF  
PSCK NO. 3

CINCINNATI BELL TELEPHONE COMPANY

Section 45  
Original Page 18

EMERGENCY NUMBER SERVICES (911 SERVICES)

III. PRIVATE SWITCH AUTOMATIC LOCATION IDENTIFICATION SERVICE (PS/ALI)

A. GENERAL

1. Private Switch Automatic Location Identification Service (PS/ALI) allows a Private Branch (PBX) switch located on a customer's premises to be trunked directly into an E911 tandem office, delivering the number and location of the PBX end user to the appropriate Public Safety Answering Point (PSAP).
2. PS/ALI is available with Primary ISDN PRI.

B. REGULATIONS

1. PS/ALI is furnished subject to the availability of facilities.
2. Automatic Number Identification (ANI) which is passed to the Company's E911 tandem office by the PBX switch is read, processed and utilized in the manner as if it is provided by any other serving end office in the Company's E911 system.
3. The emergency agency serving the area may also be involved in order to update the Master Street Address Guide (MSAG) and to determine the method in which emergency calls from PS/ALI locations will be handled.
4. The following specifications must be met when provisioning this service:
  - a. Subscribers to PS/ALI must meet all Company specifications and requirements for the service.
  - b. The PBX switch must be able to transmit ANI using multi-frequency signals. This may require new PBX switches or the retro-fitting of existing PBX switches with interfaces which will work with the Company's E911 system.
  - c. The PBX switch owner/operator must supply the Company with the initial telephone number-to-address data as well as periodic updates.

GENERAL EXCHANGE TARIFF  
PSCK NO. 3

CINCINNATI BELL TELEPHONE COMPANY

Section 45  
Original Page 19

EMERGENCY NUMBER SERVICES (911 SERVICES)

III. PRIVATE SWITCH AUTOMATIC LOCATION IDENTIFICATION SERVICE (PS/ALI) (Continued)

B. REGULATIONS (Continued)

4. The following specifications must be met when provisioning this service: (Continued)
  - d. The PBX switch must employ Direct Inward Dial (DID) numbers.
  - e. It will be the responsibility of the vendor or PBX operator to maintain the data pertaining to each extension operating under such system.
5. The PBX switch owner/operator must install or dedicate a minimum of two private E911 local channels, lines or trunks with the following specifications:
  - a. This voice grade local channel provides for a communications path between the demarcation point at the customer premises and the serving wire center of that premises.
  - b. The PBX owner/operator is responsible for determining that their equipment is compatible with this local channel.
  - c. Supervision on the PS/ALI local channels will be loop reverse battery. The battery source is located in the Company's serving wire center and will be a nominal -48V (-42.75 to -56.5V dc).
  - d. The PBX will signal an off hook (or seizure) by providing a loop closure across tip and ring with a maximum resistance of 670 ohms. The Company's serving wire center will instruct the PBX to forward the calling station's number (ANI) information by a battery reversal wink.
  - e. Additional regulations may be applicable as described in other sections of the Company's Tariff.
  - f. Specific network interfaces may be required.

GENERAL EXCHANGE TARIFF  
PSCK NO. 3

CINCINNATI BELL TELEPHONE COMPANY

Section 45  
Original Page 20

EMERGENCY NUMBER SERVICES (911 SERVICES)

III. PRIVATE SWITCH AUTOMATIC LOCATION IDENTIFICATION SERVICE (PS/ALI) (Continued)

B. REGULATIONS (Continued)

5. The PBX switch owner/operator must install or dedicate a minimum of two private E911 local channels, lines or trunks with the following specifications: (Continued)
  - g. This service is offered solely as an aid in handling assistance calls in connection with fire, police and other emergencies and does not create any relationship or obligation, direct or indirect, to any person other than the customer contracting for PS/ALI. The provision of PS/ALI service by the Company shall not be interpreted, construed, or regarded, either expressly or implied, as being for the benefit of or creating any Company obligation toward any third person or legal entity other than the customer.

GENERAL EXCHANGE TARIFF  
PSCK NO. 3

CINCINNATI BELL TELEPHONE COMPANY

Section 45  
Original Page 21

EMERGENCY NUMBER SERVICES (911 SERVICES)

III. PRIVATE SWITCH AUTOMATIC LOCATION IDENTIFICATION SERVICE (PS/ALI) (Continued)

B. REGULATIONS (Continued)

6. The rates charged for PS/ALI service do not contemplate the constant monitoring or inspection of facilities to discover errors, defects and malfunctions in the service, nor does the Company undertake such responsibility. The customer shall make such operational test as, in the judgment of the customer, as required to determine whether the service is functioning properly for its use. The customer shall promptly notify the Company in the event the service is not functioning properly.
7. The Company's entire liability to any person for the interruption or failure of PS/ALI shall be limited to the terms set forth in this section and other Sections of this Tariff. The Company shall neither be liable for damages resulting from or in connection with its provision of PS/ALI to any customer subscribing to PS/ALI or any person assessing or using PS/ALI, and nor shall the Company be liable for its provision of any telephone number, address, or name to any entity providing 911 service or to a public safety answering point, unless the Company acted with malicious purpose or in a manner exhibiting wanton and willful disregard of safety or property in providing such services.
8. Each customer agrees to release, indemnify, defend and hold harmless the Company from any and all loss, claims, demands, suits, or other action, or any liability whatsoever, whether suffered, made instituted or asserted by the Customer or by any other party or person, for any personal injury to or death of any person or persons, or for any loss, damage or destruction of any property, whether owned by the Customer or others, or for any infringement or invasion of the right or privacy of any person or persons, caused or claimed to have been caused, directly or indirectly, by the installation, operation, failure to operate, maintenance, removal, presence, condition, location or use of PS/ALI features and the equipment associated therewith, or by any services which are or may be furnished by the Company in connection therewith, or by any services which are or may be furnished by the Company in connection therewith, including but not limited to the identification of the telephone number, address or name associated with the telephone used by the party or parties assessing 911 services using PS/ALI hereunder, and which arise out of the negligence or other wrongful act of the Company, the Customer, its user agencies or municipalities or employees or agents of any one of them.

GENERAL EXCHANGE TARIFF  
PSCK NO. 3

CINCINNATI BELL TELEPHONE COMPANY

Section 45  
Original Page 22

EMERGENCY NUMBER SERVICES (911 SERVICES)

III. PRIVATE SWITCH AUTOMATIC LOCATION IDENTIFICATION SERVICE (PS/ALI) (Continued)

B. REGULATIONS (Continued)

9. When an order for PS/ALI and facilities or requests for additions, rearrangements, relocations or modifications of service and equipment are canceled in whole or in part, the customer may be required to reimburse the Company. However, such reimbursements to the Company are not to exceed charges which would apply if the work involved in complying with the request had been completed.
10. When the use of service or facilities furnished by the Company is interrupted due to any cause other than the negligence or willful act of the subscriber or the failure of the facilities provided by the subscriber, a pro rata adjustment of the monthly charges involved will be allowed as covered by Section 2 of this Tariff.

GENERAL EXCHANGE TARIFF  
PSCK NO. 3

CINCINNATI BELL TELEPHONE COMPANY

Section 45  
Original Page 23

EMERGENCY NUMBER SERVICES (911 SERVICES)

III. PRIVATE SWITCH AUTOMATIC LOCATION IDENTIFICATION SERVICE (PS/ALI) (Continued)

B. REGULATIONS (Continued)

11. In the event of any interruption of the service, the Company shall not be liable to any person, corporation or other entity for any loss or damage in an amount greater than an amount equal to the pro rata allowance of the tariff rate for the service or facilities provided to the customer for the time interruption continues, after notice to the Company. No allowance shall be made if the interruption is due to the negligence or willful act of the customer of the service.
12. For Risk Management purposes the Company strongly recommends that all DID and DID type numbers assigned to the PS/ALI service subscriber be listed in the 911 Database. If the Customer does not include all their numbers in the 911 Database the Customer's PBX must block the number from entering the 911 network as the point of origination of a 911 call. If a number not included in the 911 Database appears in the Company's 911 system as the point of origination of a 911 call, the Customer will be billed for the time and material used by the Company to investigate the call.
13. Other Rules and Regulations located in other Sections of this tariff apply to this service offering as is appropriate.

GENERAL EXCHANGE TARIFF  
PSCK NO. 3

CINCINNATI BELL TELEPHONE COMPANY

Section 45  
Original Page 24

EMERGENCY NUMBER SERVICES (911 SERVICES)

III. PRIVATE SWITCH AUTOMATIC LOCATION IDENTIFICATION SERVICE (PS/ALI) (Continued)

C. PAYMENT SCHEDULES

1. General

PS/ALI is offered on a month to month basis at the rates and charges indicated in this sub-section.

2. May be transferred to a new subscriber at the same location upon prior written concurrence by the new subscriber.

3. Moves of Service

When the PBX owner/operator moves nonrecurring charges apply as are appropriate.

GENERAL EXCHANGE TARIFF  
PSCK NO. 3

CINCINNATI BELL TELEPHONE COMPANY

Section 45  
Original Page 25

EMERGENCY NUMBER SERVICES (911 SERVICES)

III. PRIVATE SWITCH AUTOMATIC LOCATION IDENTIFICATION SERVICE (PS/ALI) (Continued)

D. RATES AND CHARGES

	<u>Nonrecurring Charge</u>	<u>Monthly Rate</u>	<u>USOC</u>
1. To Activate Service and Provide Access to 911 with Secure ID Card			
a. Per Arrangement Per Customer	\$ 1975.00	N/A	PSOPS
2. Record Entry and Maintenance Service			
a. Per Telephone/DID Number and/or pANI record added to 911 Database See Note 1 Below.	N/A	\$ 0.12	PSOEP
3. The subscriber to PS/ALI Service must also subscribe to a minimum of 2 lines, trunks or channels that are dedicated to carrying 911 calls only. These lines, trunks or channel may only be used to route calls to the 911 network. The lines, trunks or channels are to be billed at the normal tariff rate and ordered with the standard USOC for such service.			

Note 1: The Customer will be billed on an individual-case-basis for the time of Company personnel, facilities and materials expended to investigate 911 calls that appear in the 911 System as calls originating from numbers assigned to the Customer but not included in the 911 Database. (See Paragraph III.B.12. above)

---

Issued: June 8, 2001

Effective: July 10, 2001.

Christopher S. Colwell, Vice President - Government Relations, Cincinnati, Ohio